

TOWNSCAPE



TS01 BEIGE



12"×24" MATTE



12"×12" MATTE




2"×2" Mosaic
(12"×12" SHEET)
MATTE



4"×12" Bullnose
MATTE

PERFORMANCE

| | Color Variation | D.C.O.F | Breaking Strength | MOHS | Water Absorption | Chemical Resistance | Abrasion Resistance | Thermal Shock Resistance | Frost Resistance |
|---------------------------|-----------------|--------------|-------------------|-----------------------|------------------|---------------------|---------------------|--------------------------|------------------|
| U.S. Inspection Standards | N/A | ANSI A 137.1 | ASTM C648 | Scratch Hardness 1-10 | ASTM C373 | ASTM C650 | ASTM C1027 | ASTM C484 | ASTM C1026 |
| Factory Test Result | V3 | ≥0.42 Wet | > 450 lbs | Class 7 | <0.5% | Resistant | Resistant | Resistant | Resistant |



V3-High Variation

TOWNSCAPE



TS02 LIGHT GRAY



12"×24" MATTE



12"×12" MATTE




2"×2" Mosaic
(12"×12" SHEET)
MATTE



4"×12" Bullnose
MATTE

PERFORMANCE

| | Color Variation | D.C.O.F | Breaking Strength | MOHS | Water Absorption | Chemical Resistance | Abrasion Resistance | Thermal Shock Resistance | Frost Resistance |
|---------------------------|-----------------|--------------|-------------------|-----------------------|------------------|---------------------|---------------------|--------------------------|------------------|
| U.S. Inspection Standards | N/A | ANSI A 137.1 | ASTM C648 | Scratch Hardness 1-10 | ASTM C373 | ASTM C650 | ASTM C1027 | ASTM C484 | ASTM C1026 |
| Factory Test Result | V3 | ≥0.42 Wet | > 450 lbs | Class 7 | <0.5% | Resistant | Resistant | Resistant | Resistant |



V3-High Variation

TOWNSCAPE




TS03 DARK GRAY



12"×24" MATTE



12"×12" MATTE




2"×2" Mosaic
(12"×12" SHEET)
MATTE



4"×12" Bullnose
MATTE

PERFORMANCE

| | Color Variation | D.C.O.F | Breaking Strength | MOHS | Water Absorption | Chemical Resistance | Abrasion Resistance | Thermal Shock Resistance | Frost Resistance |
|---------------------------|-----------------|--------------|-------------------|-----------------------|------------------|---------------------|---------------------|--------------------------|------------------|
| U.S. Inspection Standards | N/A | ANSI A 137.1 | ASTM C648 | Scratch Hardness 1-10 | ASTM C373 | ASTM C650 | ASTM C1027 | ASTM C484 | ASTM C1026 |
| Factory Test Result | V3 | ≥0.42 Wet | > 450 lbs | Class 7 | <0.5% | Resistant | Resistant | Resistant | Resistant |



V3-High Variation